FOR FURTHER INFORMATION, PLEASE REFER TO THE SDS

Issue: OCTOBER 16

PRODUCT: Solvesso™ 150

Other Names: Environmentally Hazardous Substance, Liquid, N.O.S.

Uses: Industrial solvent: paint and ink manufacture, agricultural chemicals

| UN No. |
|-----------------------|
| Dangerous Goods Class |
| Subsidiary Risk |
| Pack Group |
| Hazchem |
| Poison Schedule |
| |

| Hazardous Nature: | This product is classified as hazardous under Australian GHS criteria |
|-----------------------|---|
| Hazardous Categories: | Flammable Liquids: 4; Carcinogen: Category 2; Aspiration Toxicant: 1; Skin Corrosion/Irritation: 3; Specific Target Organ Toxicity (narcosis): 2; Acute Aquatic Toxicant: 2; Chronic Aquatic Toxicant: Category 2 |
| Exposure Standards: | TWA: 100 mg/m³ (15 ppm): STEL: None specified, consider: 250 mg/m³ |

| Physical Characteristics (Typical) | Section 9 of SDS |
|------------------------------------|------------------|
|------------------------------------|------------------|

Appearance Clear, slightly yellow liquid

Boiling Point/ Range (\square C): 181 – 211 Flash Point (\square C): 68 Specific Gravity/ Density (g/ml @ 15 \square C): 0.885

Chemical Stability: Stable at room temperature and pressure

| Product Ingredients | | Section 3 of SDS |
|---|------------|------------------|
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | 100 |
| Contains: Naphthalene | 91-20-3 | < 10 |
| 1,2,4 Trimethyl benzene | 95-63-6 | < 5 |

For further ingredients information, please refer to the full SDS.

GHS Pictograms







Hazard Statements

H227: Combustible liquid

H304: May be fatal if swallowed and enters airways

For further Risk and Safety information, please refer to the full SDS.

| <u>DEFINITIONS</u> | |
|---------------------|--|
| Dangerous Goods | Products that are classified as Dangerous for Storage and Transport: these products are allocated a UN No., with accompanying Class, Pack Group, and Sub. Risk, if required. Products that do not have a specific description under the code, but have low flash points, or such, must be classified under their most significant risk, eg. Flammable Goods N.O.S. (Not otherwise specified), UN 19 |
| Poisonous Substance | Products that are classified under the poisons schedule are a poisonous substance. The proportion of the poison in the product determine its numerical classification. |
| Hazardous Substance | Products are considered to be Hazardous if they pose an intrinsic risk to human or environmental health, such as mutagens (able change DNA), teratogens (able to result in birth defects), carcinogens (able to generate cell abnormalities), etc. Materials are not hazardous substances if they pose risks such as potential for misuse, like flammability, or explosions when heated and ignited. |

SUMMARY INFORMATION ONLY

1. IDENTIFICATION

Product Name: Solvesso™ 150

Other Names: Environmentally Hazardous Substance, Liquid, N.O.S.

Chemical Family: Aromatic hydrocarbon

Recommended Use: Industrial solvent: paint and ink manufacture, agricultural chemicals

Supplier: SYDNEY SOLVENTS PTY LTD

ABN: 51 104 642 695

Street Address: 3/10 PRODUCTION PLACE JAMISONTOWN NSW 2750

Telephone: 02 4722 5060 **Fax:** 02 4722 5070

Emergency phone: CHEMCALL: 1800 127 406

All other inquiries: 1800 60 50 40

2. HAZARDS IDENTIFICATION

SOLVESSO™ 150

Safety Data Sheet

Health Hazard Classification

This product is classified as hazardous under Australian GHS criteria

Hazard Categories

Flammable Liquids: 4; Carcinogen: Category 2; Aspiration Toxicant: 1; Skin Corrosion/Irritation: 3; Specific Target Organ Toxicity (narcosis): 2; Acute Aquatic Toxicant: 2; Chronic Aquatic Toxicant: Category 2 **Hazardous Statement**

Harmful to aquatic life with long-lasting effects

GHS Pictograms







Hazard Statements

H227: Combustible liquid

H304: May be fatal if swallowed and enters airways

H336: May cause drowsiness or dizziness

H351: Suspected of causing cancer

H411: Toxic to aquatic life with long lasting effects **Precautionary Statements**

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P301+312+101: IF SWALLOWED: Call a POISON CENTER/doctor, if you feel unwell, and have product container or label at hand.

P273: Avoid release to the environment.

Dangerous Goods Classification 9
Poisons Schedule 5
Signal Word Danger

3. COMPOSITION: Information on Ingredients

| Chemical Ingredient | CAS No. | Proportion (%v/v) |
|---|------------|-------------------|
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | 100 |

Date of Issue: 5 OCTOBER 2016 Date of Review:

| Chemical Ingredient | CAS No. | Proportion (%v |
|-------------------------|---------|----------------|
| Contains: Naphthalene | 91-20-3 | < |
| 1,2,4 Trimethyl benzene | 95-63-6 | |

4. FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor. Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.

Eye Contact

Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

Skin Contact

Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing, including shoes, and launder before reuse. Seek medical attention for skin irritations.

Inhalation

Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Seek immediate medical attention. **First Aid facilities**

Provide eye baths and safety showers.

Medical Attention

Treat according to symptoms. Avoid gastric lavage: risk of aspiration of product to the lungs with the potential to cause chemical pneumonitis.

5. FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing firefighters with this Material Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Alcohol resistant foam, or if unavailable, dry chemical or foam

Hazards from combustion products

Carbon dioxide and carbon monoxide

Precautions for fire fighters and special protective equipment

Full protective clothing and self-contained breathing apparatus **Hazchem Code**:

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent fluid from escaping to drains and waterways. Contain leaking packaging in a containment drum. Prevent vapours from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

Methods and materials for containment

Major Land Spill

- Eliminate sources of ignition.
- Warn occupants of downwind areas of possible fire and explosion hazard.
- Prevent liquid from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimise the effect on the ground water.
- Contain the spilled liquid with sand or earth.
- Recover by pumping use explosion proof pump or hand pump or with a suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

Date of Issue: 5 OCTOBER 2016 Date of Review: December 2020

- See "First Aid Measures" and "Stability and Reactivity" Major Water Spill
- Eliminate any sources of ignition.
- Warn occupants and shipping in downwind areas of possible fire and explosion hazard.
- Notify the port or relevant authority and keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See "First Aid Measures" and "Stability and Reactivity".

7. HANDLING AND STORAGE

Precautions for safe handling

This product is combustible. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Material will accumulate static charge. Use grounding leads to avoid discharge (electrical spark). **Conditions for safe storage**

Store in a cool, dry place away from direct sunlight. Do not pressurise, cut, heat or weld containers - residual vapours are combustible. This product will fuel a fire in progress.

Incompatible materials

Natural Rubber, Butyl Rubber, EPDM, Polystyrene

8. EXPOSURE CONTROLS: PERSONAL PROTECTION

National Exposure Standards

The time weighted average concentration (TWA) for this product is: 100 mg/m³ (15 ppm), which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short-term exposure limit (STEL) is: None specified, consider: 250 mg/m³, which is the maximum allowable exposure concentration at any time.

Biological limit values

Not available

Engineering Controls: Ventilation

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.

Personal Protective Equipment

Respiratory Protection: Where concentrations in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type "A" filter material is considered suitable for this product.

Eye Protection: Always use safety glasses or a face shield when handling this product.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves (e.g. PVC) be worn when handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

SOLVESSO™ 150

Safety Data Sheet

| Property | Unit of measurement | Typical value |
|------------------------------|---------------------|-------------------------------|
| Appearance | - | Clear, slightly yellow liquid |
| Boiling Point/ Range | ПС | 181 – 211 |
| Flash Point | ПС | 68 |
| Density @ 15□C | g/ml | 0.885 |
| Vapour Pressure @ 20□C | kPa | 0.1 |
| Explosive Limits (LEL – UEL) | % | 0.8 – 7.0 |
| Vapour Density @ 20□C | kPa | > 1.00 |

OCTOBER 2016

| Property | Unit of measurement | Typical value | |
|--------------------------|---------------------|---------------|--|
| Autoignition Temperature | ПС | > 450 | |
| Viscosity @ 25□C | cSt | 1.26 | |
| Percent Volatiles | % | 100 | |
| Solubility with Water | % w/w | < 0.10 | |

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult the Product Data Sheet.

10. STABILITY AND REACTIVITY

Chemical Stability

Stable at room temperature and pressure

Conditions to avoid

Sources of heat and ignition, open flames.

Hazardous decomposition products

Carbon monoxide, carbon dioxide, and other organic complexes on incomplete burning or oxidation <u>Hazardous reactions</u>

Oxidizing agents, mineral acids, halogenated organic compounds

Hazardous Polymerisation Will

not occur

11. TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion

Small amounts of liquid aspirated into the lungs during ingestion, or from vomiting, may cause chemical pneumonitis, or pulmonary oedema. Ingesting any amount of this product will result in headaches, nausea, dizziness, and tracheal burning.

Eye Contact

This product is irritating to eyes, but will not permanently damage the eye tissue **Skin**

Contact

SOLVESSO™ 150

Safety Data Sheet

This product is irritating to the skin with prolonged exposure. It may result in dryness and cracking. Naphthalene, one ingredient, is easily absorbed into the skin on contact and may result in symptoms of overexposure, similar to ingestion. *Inhalation*

This product is irritating to the respiratory tract. Exposure to large concentrations over an extended period of time will result in muscle weakness, tingling in hands and feet, blurred vision, headaches, nausea, loss of appetite, hallucinations, and possible loss of consciousness.

Chronic Effects

This product contains naphthalene. Exposure to high concentrations of naphthalene may cause destruction of red blood cells, anaemia, and cataracts. Evidence of cancer in animals caused by exposure to naphthalene has not been found to be relevant in huma <u>Other Health Effects Information</u>

Persons with pre-existing skin conditions are likely to be sensitive to this product with prolonged or repeated exposure.

Toxicological Information

Oral LD₅₀: Oral (rat): 5ml/kg; Naphthalene: (rat): 490 mg/kg

Dermal TC_{Lo} : Inhal (rat): LC_{50} : > 4688 mg/m³/4hr (vapour)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Toxicity

Fish Toxicity (rainbow trout, goldfish, bluegill): LC₅₀(96hr): Naphthalene: Bluegill: 31026 μg/L; Pink

OCTOBER 2016

Salmon: 900 μg/L; Crimson Spotted rainbow trout: 315 μg/L

Daphnia Magna EC₅₀ (24 hr): Not available Blue-green algae (Toxicity threshold 7-8 days): No data available

Green algae (Toxicity threshold 7-8 days): Naphthalene: EC₅₀: 25000 μg/L

Persistence/ degradability

This product will evaporate and commence degradation on exposure to light and air.

Mobility

If product enters soil, it will be highly mobile and may contaminate groundwater

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain fumes and vapours that are flammable and harmful. Ensure that empty packaging is allowed to dry.

Special Precautions for Landfill or Incineration

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product is ashless and can be burned directly in appropriate equipment.

14. TRANSPORT INFORMATION

| Road and R | Rail Transport | Marine Tr | ansport | Air T | ransport |
|---------------------|------------------------|--------------------------|-------------------------|---------------------|--------------------|
| UN No. | 3082 | UN No. | 3082 | UN No. | 3082 |
| Proper Shipping | Environmentally | Proper Shipping | Environmentally | Proper Shipping | Environmentally |
| Name | Hazardous | Name | Hazardous | Name | Hazardous |
| | Substance, Liquid, | | Substance, | | Substance, Liquid, |
| | N.O.S. Li | quid, N.O.S. N.O.S. D | G Class 9 DG Class | 9 DG Class | 9 |
| Sub. Risk None Sub. | Risk None Sub. Risk No | ne Pack Group III Pack G | roup III Pack Group III | | |
| Hazchem | •32 | Hazchem | •32 | Hazchem | •32 |
| Dangerous Goo | ods Segregation | | | | |
| This product is cla | ssed as Dangerous G | nods Class 9 nacking g | roun III. Please con | sult the Australian | Dangerous Goods |

Code for Transport by Road and Rail for information.

15. REGULATORY INFORMATION

Country/ Region: Australia

Inventory: AICS Status: Listed

Poisons Schedule: 5

16. OTHER INFORMATION

Reasons for Issue: Amalgamated supplier changes in all sections Abbreviations:

AICS: Australian Inventory of Chemical Substances

CAS Number: Chemical Abstracts Number

IARC: International Agency for Research on Cancer

NOHSC: National Occupational Health and Safety Council GHS: Global

Harmonised System